

Tip 6/3 Thermoplastic Hose



Applications

Waterblast : Heat exchanger tube cleaning

Hydraulics : Pressure test equipment (valves, tooling and control panels), hydraulic tools (instrumentation packages for gauges, control of service equipment, hydraulic jacks, hydraulic tools)


Inner Core	: Polyoxymethylene (POM)	
Pressure Suppo	ort : 2 layers of high-tensile steel wire 1 braided layer of galvanized steel wire	Lenght (m)
Outer Cover	: Polyamide (PA)	7
Colour Temperature	: Green, other colours optional. : [-30 °C to +60 °C]	20
	.[

Lenght (m)	Part No	
7	00.70.0837	
20	00.70.0820	

Inner Diameter Ø mm	Outer Diameter Ø mm	Working Pressure * bar	Burst Pressure bar	Bend Radius mm	Weight kg/m	Inner Diameter of Insert Ø mm	Outer Cover Material	Outer Cover Diameter Ø mm
6.1	12.3	1040	2600	110	0.280	4	Carbon Steel	14.1

* Safety factor between burst pressure and working pressure as well as test pressure depends on operating conditions. For gaseous media a safety factor of 1:6 is to be applied and the outer cover is to be pricked. The indicated working pressure refers to the hos only. Depending on the used fitting the permitted working pressure of a hose assembly can be less.

<u>Fitting</u> Fitting Type : Male Thread : G1/4" Material : Carbon Steel





E&B SU JETİ MAKİNE SAN. ve TİC. LTD. ŞTİ.